

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	30	RNDIS and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 15:50
S4	4	@ad< "20031113" and (CDC near2 Ethernet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 15:52
S5	1	@ad< "20031113" and (CDC near2 Ethernet) and RNDIS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 15:52
S6	35	@ad< "20031113" and ("universal serial bus" or USB) and configuration and "network adaptor" and request and host	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 17:00
S7	39	@ad< "20031113" and ("universal serial bus" or USB) and configuration and "network adaptor" and host	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 18:44
S8	10249	@ad< "20031113" and ("universal serial bus" or USB) and configuration and host	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 18:45
S9	78	@ad< "20031113" and ("universal serial bus" or USB) and ("multiple configuration") and determine and host	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 18:45
S10	19	@ad< "20031113" and ("universal serial bus" or USB) and ("multiple configuration") and (host near7 determine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 18:50
S11	31	@ad< "20031113" and ("universal serial bus" or USB) and ("multiple configuration") and ((host or server) near7 determine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 18:55

S12	53	@ad< "20031113" and ("universal serial bus" or USB) and ("sends configuration") and ((host or server) near7 determine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 18:58
S13	1	@ad< "20031113" and ("universal serial bus" or USB) and ("sends configuration") and ((host or server) near7 "network adaptor")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 19:14
S14	1	@ad< "20031113" and ("universal serial bus" or USB) and ("sends configuration" or "send configuration") and ((host or server) near7 "network adaptor")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 19:17
S15	1	@ad< "20031113" and ("universal serial bus" or USB) and ("sends configuration" or "send configuration") and ((host or server) with "network adaptor")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 19:17
S16	2	@ad< "20031113" and ("sends configuration" or "send configuration") and ((host or server) with "network adaptor")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 19:17
S17	2	@ad< "20031113" and (("sends configuration" or "send configuration") with (host or server)) and "network adaptor"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 19:21
S18	8	@ad< "20031113" and (("sends configuration" or "send configuration") and (host or server)) and "network adaptor"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 19:22
S20	10	@ad< "20031113" and ("network adaptor" with determine) and active	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/02 19:29
S23	2	@ad< "20031113" and (((receive adj2 request) and from) and (host or server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 10:02

S25	145028	@ad< "20031113" and receive and request and (host or server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 10:06
S26	933	@ad< "20031113" and receive and request and (host or server) and 709/250.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 10:06
S27	676	@ad< "20031113" and receive and request and (host or server) and 709/250.ccls. and configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 10:07
S28	8	@ad< "20031113" and receive and request and (host or server) and 709/250.ccls. and "sends configuration"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 10:07
S29	274	@ad< "20031113" and receive and request and (host or server) and "709"/. ccls. and "sends configuration"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 10:08
S30	11	@ad< "20031113" and receive and request and (host or server) and "709"/. ccls. and "sends configuration" and "multiple configuration"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 10:09
S32	5	@ad< "20031113" and receive and request and (host or server) and "709"/. ccls. and "sends configuration" and "network adaptor"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 10:52
S33	5	@ad< "20031113" and ("universal serial bus" or USB) and ("sends configuration") and ((host or server) near7 determine) and (parse or parsing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 18:42
S34	438	@ad< "20031113" and ("universal serial bus" or USB) and ((host or server) near7 determine) and (parse or parsing) and select	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 19:34

S35	403	@ad< "20031113" and ("universal serial bus" or USB) and ((host or server) near7 determine) and (parse or parsing) and select and configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 19:34
S39	120	@ad< "20031113" and ("universal serial bus" or USB) and (host or server) and ((parse or parsing) adj4 determine) and select and configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 19:37
S40	99	@ad< "20021113" and ("universal serial bus" or USB) and (host or server) and ((parse or parsing) adj4 determine) and select and configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 19:37
S41	1	@ad< "20021113" and ("universal serial bus" or USB) and (host or server) and (((parse or parsing) adj4 determine) adj4 configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 19:43
S42	1	@ad< "20031113" and ("universal serial bus" or USB) and (host or server) and (((parse or parsing) adj4 determine) adj4 configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 19:43
S43	2	@ad< "20031113" and ("universal serial bus" or USB) and (host or server) and ((parse or parsing) adj4 determine) and configuration and (RNDIS or NDIS or CDC-Ethernet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/03 19:46
S45	1	@ad< "20031113" and ("universal serial bus" or USB) and (host or server) and (("network adaptor" or "network adapter") adj7 active)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/04 11:03
S46	33	@ad< "20031113" and (host or server) and (("network adaptor" or "network adapter") adj7 active)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/04 11:05
S47	2	*6681244".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/04 12:49

S49	2	"20060039290"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/04 12:57
S50	113	@ad< "20031113" and (("network adapter" or "network adaptor") adj4 ("enable" or "disable" or "activate"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 10:03
S51	1	"60426349"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 12:46
S54	26	@ad< "20021115" and rndis	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 14:33
S56	79	@ad< "20021115" and odc and ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 14:33
S59	25	@ad< "20021115" and belcarra	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 14:34
S61	181	odc and ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 16:19
S62	3	odc and ethernet and rndis	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 16:19
S64	79	@ad< "20021115" and odc and ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 17:43
S65	32	@ad< "20021115" and odc and ethernet and network and (adapter or adaptor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 17:45
S66	2	"6532497".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 20:29

S67	1389	@ad< "20021115" and ((adapter or adaptor) with (activate or disable))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 20:45
S68	6	@ad< "20021115" and (network adj2 ((adapter or adaptor) with (activate or disable)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 20:45
S69	17	@ad< "20021115" and "network adapter" and "multiple configurations"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 15:01
S70	127	@ad< "20021115" and "network adapter" and "multiple protocols"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 15:01
S71	144	S69 or S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 15:02
S72	46	@ad< "20021115" and "automatic configuration" and "network adapter"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 17:26
S74	75	"08/942311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 18:18
S77	2	*6170028*.pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 18:32
S78	27594693	@ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 23:30
S79	26187906	(@rlad @ad)< "20021115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 23:31
S80	118139	("universal serial bus" or USB)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 23:33

S81	94	rndis	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 23:33
S82	2	cdc-ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 23:34
S83	3	*cdc ethernet*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 23:34
S84	19519	host same adapter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 23:35
S85	4526	host same adaptor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 23:35
S86	22967	S84 S85	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 23:35
S87	1560	(plurality multiple "more than one" "more than 1") same configuration same S80	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 23:37
S88	2	S87 same S85	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 23:37
S89	94	S81 S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 23:37
S90	0	S88 and S89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 23:38
S91	34	S89 and S79	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 23:38

S92	642	S87 and S79	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 23:39
S93	210	(plurality multiple "more than one" "more than 1") with configuration with S80	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 23:40
S94	96	S93 and S79	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 23:40
S95	26187906	(@riad @ad)<"20021115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:13
S96	118139	("universal serial bus" or USB)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 13:13
S97	210	(plurality multiple "more than one" "more than 1") with configuration with S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:13
S98	96	S97 and S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:13
S99	96	S98	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:13
S100	96	S98 and S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:20
S101	25849970	@ad<"20021115"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 13:21
S102	36005	((plurality multiple) adj3 configurations)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:28

S103	113	S102 same (usb "universal serial bus")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:29
S104	7	S103 same request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:29
S105	762	host same request same first same second same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:32
S106	107	host same request same first same second same configuration same usb	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:33
S107	0	host same "first request" same "second request" same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:37
S108	0	host same "first request" same "second request"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:37
S109	199	host same "first request" same "second request"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:37
S110	12	host same "first request" same "second request" same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:38
S111	1	determin\$6 with (multiple plurality) with of	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:46
S112	2806	(determin\$6 detect\$6) with (multiple plurality) with second with request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:47
S113	124	(determin\$6 detect\$6) with (multiple plurality) with "second request"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:48

S114	322	(determin\$6 detect\$6) same (multiple plurality) same "second request" same "first request"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:53
S115	352	(determin\$6 detect\$6) same (multiple plurality) again another "more than one") same "second request" same "first request"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:53
S116	21	(determin\$6 detect\$6) same (multiple plurality) again another "more than one") same "second request" same "first request" same host	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 13:54
S117	21	(determin\$6 detect\$6) same (multiple plurality) again another "more than one" "capable of more than") same "second request" same "first request" same host	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:08
S118	1870	(multiple plurality again another "more than one" "capable of more than") same "second request"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:09
S119	242	(multiple plurality again another "more than one" "capable of more than") same "second request" same sending	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:09
S120	220	(multiple plurality another "more than one" "capable of more than") same "second request" same sending	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:10
S121	158	(multiple plurality another "more than one" "capable of more than") same "second request" same sending same "first request"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:10
S122	80	(multiple plurality another "more than one" "capable of more than") same "second request" same sending same "first request" same (host client server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:11

S123	15	(multiple plurality another "more than one" "capable of more than") same "second request" same sending same "first request" same configur\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:11
S124	88	S122 or S123	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:11
S125	28	(indicat\$6 adj5 (multiple plurality again another "more than one" "capable of more than")) same "second request"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:15
S126	12	(indicat\$6 adj5 (multiple plurality again another "more than one" "capable of more than")) same "second request" same response	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:16
S127	37567	network adj2 (adapter adaptor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:18
S128	15518	multiple adj2 configurations	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:18
S129	33	"capable of"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:18
S130	11	S127 same S128	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:19
S131	2	S127 same S128 same usb	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:20
S132	15518	multiple adj2 configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:21

S133	49	S132 same usb	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:21
S134	38	indicat\$6 adj7 multiple adj2 configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:40
S135	5	(detect determine) adj7 usb adj2 configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 14:53
S136	1	S135 and pars\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:07
S137	1511	(multiple plurality another "more than one" "capable of") same configuration same usb	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:09
S138	226	(multiple plurality another "more than one" "capable of") same configuration same usb same (determine detect indicat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:09
S139	5056540	(asks request inquir\$2) with (second again multiple) with (when if) (multiple "more than" additional)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:19
S140	391948	S139 and host	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:19
S141	63921	S139 with host	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:19
S142	1706	S139 with host with configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:20
S143	42	S142 with usb	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:20

S144	5056541	(asks request inquire\$2) with (second again multiple more) with (when if) (multiple "more than" additional)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:22
S145	0	(asks request inquire\$2) with (second again multiple more) with (when if) with (multiple "more than" additional) with configurations	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:24
S146	7	(asks request inquire\$2) with (second again multiple more) with (when if) with (multiple "more than" additional)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:24
S147	46437	(asks request inquire\$2) with (second again multiple more) with (multiple "more than" additional)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:28
S148	889	(asks request inquire\$2) with (second again multiple more) with (multiple "more than" additional) with configurations	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:28
S149	2	(asks request inquire\$2) with (second again multiple more) with (multiple "more than" additional) with configurations with usb	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:28
S150	889	(asks request inquire\$2) with (second again multiple more) with (multiple "more than" additional) with configurations	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:28
S151	6	"second request" with (multiple "more than" additional) with configurations	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:31
S152	31	continues with request\$3 with until with configurations	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 15:34

9/ 24/ 2008 7:43:24 PM

C:\Documents and Settings\r\keehn\ My Documents\ EAST\ Workspaces\ 10705909 .wsp